	Type	L #	Hits	Search Text	DBs	Time	Stamp	Comments
5	BRS	L1	162	(optim\$3 near2 frequenc\$3 or maxim\$3 near2 frequenc\$3 or greatest near2 frequenc\$3 or largest near2 frequenc\$3) same (timing adj2 recover\$3 or timing adj2 circuit\$3 or timing near2 synchroniz\$14 or timing near2 acquisition or track\$3 near2 timing)	US- PGPUB; USPAT; EPO; JPO	2004/ 06:13	11/23	
6	BRS	L7	188	track\$3 near2 timing or timing adj2 symbol\$1) same (optim\$3 near2 frequenc\$3 or maxim\$3	US- PGPUB; USPAT; EPO; JPO	2004/ 06:40	11/23	
7	BRS	L8	1	7 and (AFC or automatic adj2 frequenc\$3 adj2 control\$4) and (synchroniz\$14)	US- PGPUB; USPAT; EPO; JPO	2004/ 06:21	11/23	

	Error Definition	Err
5		
		-
6		
7		

	Туре	L #	Hits	Search Text	DBs	Time	Stamp	Comments
18	BRS	L19	569	mear2 acquigition or	US- PGPUB; USPAT; EPO; JPO	2004/3 06:43	11/23	
19	BRS	L21	387	19 and demodulat\$4	US- PGPUB; USPAT; EPO; JPO	2004/1 06:43	11/23	
20	BRS	L20	120	19 same demodulat\$4	US- PGPUB; USPAT; EPO; JPO	2004/3 06:43	11/23	

	Error Definition	Err ors
18		
19		
20		